



ORIGINALS

Bilingual edition English/Spanish

**Improvement of outpatient pharmacy through patient participation and *Lean* methodology**

**Mejora de calidad del área de pacientes externos mediante participación del paciente y metodología *Lean***

María Teresa Martín-Conde, Elena del Cacho-del Cacho, Elena Calvo-Cidoncha, Judit Roura-Turet, María Teresa Pérez-Baldoyra, Dolors Soy-Muner

Pharmacy Department, Hospital Clínic, Barcelona. Spain.

**Author of correspondence**

María Teresa Martín Conde  
 Servicio de Farmacia  
 Hospital Clínic  
 C/ Villarroel, 170  
 08036 Barcelona. Spain.

Email:  
 mmartin@clinic.cat

Received 9 March 2021;  
 Accepted 14 July 2021.  
 Early Access date (09/22/2021).  
 DOI: 10.7399/fh.11681

**How to cite this paper**

Martín-Conde MT, Del Cacho-del Cacho E, Calvo-Cidoncha E, Roura-Turet J, Pérez-Baldoyra MT, Soy-Muner D. Improvement of outpatient pharmacy through patient participation and Lean methodology. Farm Hosp. 2021;45(6):317-22.

**Abstract**

**Objective:** To improve the quality of the dispensing process and pharmaceutical care in the Outpatient Pharmacy through patient participation and *Lean* methodology, and to analyse the results obtained in terms of efficiency and patient satisfaction.

**Method:** Prospective observational single-centre study. A working group was organized with the health care staff involved in outpatient care to apply *Lean* methodology and detect improvement opportunities. We used a focus group technique to understand the patients' experience. The impact on patient satisfaction was measured through a mass survey mailed out in December 2019 (before introducing the main measures) and in December 2020.

**Results:** More than 30 improvement actions were identified after surveying the opinions of the patients and health care staff involved. Nine actions were prioritized, which were mainly related to structural and circuit changes. Waiting times significantly improved (35% of patients waited for more than 30 minutes before the improvement actions vs 4.5% afterward). The results showed that waiting times and overall satisfaction significantly improved in the period between the two surveys. In both cases, the degree of satisfaction was higher after introducing the improvement actions.

**Resumen**

**Objetivo:** Mejorar la calidad del proceso de dispensación y atención farmacéutica a pacientes externos mediante la participación del paciente y la aplicación de la metodología *Lean* y analizar los resultados obtenidos en cuanto a eficiencia e impacto en la satisfacción de los pacientes.

**Método:** Estudio observacional, prospectivo y unicéntrico. Se creó un grupo de trabajo con los diferentes profesionales implicados en la atención al paciente externo para aplicar la metodología *Lean* y detectar oportunidades de mejora. Para conocer la experiencia del paciente se utilizó la técnica del grupo focal. El impacto en la satisfacción de los pacientes se midió mediante encuestas de satisfacción que se enviaron a través del correo electrónico en diciembre de 2019 (antes de implantar las principales medidas) y en diciembre de 2020.

**Resultados:** Teniendo en cuenta la perspectiva de los pacientes y de los profesionales sanitarios, se identificaron más de 30 acciones de mejora de las que se priorizaron 9, relacionadas fundamentalmente con cambios estructurales y de circuitos. Se consiguió mejorar significativamente los tiempos de espera (el 35% de los pacientes esperaban más de 30 minutos frente al 4,5% en el análisis realizado después de las intervenciones). Los aspectos que mostraron diferencias estadísticamente significativas en las encuestas entre los dos periodos fueron el tiempo de

**KEYWORDS**

Pharmaceutical care; Quality of health care; Patient satisfaction; Health survey; Focus groups; Pharmacy Service, Hospital.

**PALABRAS CLAVE**

Atención farmacéutica; Calidad asistencial; Satisfacción del paciente; Encuesta de salud; Grupo focal; Servicio de farmacia hospitalaria.



Los artículos publicados en esta revista se distribuyen con la licencia  
 Articles published in this journal are licensed with a  
 Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.  
<http://creativecommons.org/licenses/by-nc-sa/4.0/>  
 La revista Farmacia no cobra tasas por el envío de trabajos,  
 ni tampoco por la publicación de sus artículos.

**Conclusions:** We analysed the situation of our Outpatient Service and designed the most appropriate improvement actions according to the resources available. This initiative was achieved through patient participation (via a focus group and mass surveys), the participation of health care staff, and the application of Lean methodology.

## Introduction

Hospital outpatient areas have become much busier in recent years, but lack the human and structural resources needed to meet this increased demand<sup>1</sup>. Improving patient care in outpatient areas should be considered a priority and Lean Management methodology can be a useful tool for quality improvements.

Lean Management is based on continuously improving the way in which we work by addressing the needs of patients and involving all health care staff by means of efficient processes. Lean Methodology defines value solely from the perspective of the customer or, in our case, patients. Any activity that helps in the treatment of patients adds value, whereas anything else is considered waste. There are a number of techniques that must be applied systematically to eliminate processes that do not add value for patients. The ultimate goal is to generate a new culture of improvement based on communication and teamwork<sup>2,4</sup>.

We identified several points in the dispensing and pharmaceutical care process that provided little value as well as processes that could be streamlined. Long waiting times for patients is a clear example of waste.

Lean Methodology was applied to improve the quality of the Outpatient Area by involving all staff who work in the outpatient care and dispensing processes. In our setting, Lean Methodology defines value from the patients' perspective: thus, understanding their needs is fundamental to knowing where to focus our efforts in the improvement process.

The aim of this study was to improve the quality of outpatient dispensing and pharmaceutical care processes by involving patients and applying Lean Methodology. We also analysed the results in terms of efficiency and their impact on patient satisfaction.

## Methods

### Design

Observational prospective single-centre study.

### Scope

The study was conducted in a tertiary hospital with approximately 710 beds and a catchment area with a population of 540,000. In 2020, 16,500 outpatients were attended and over 80,000 dispensing processes were conducted.

### Problem identification tools

Three processes were conducted to identify the needs of outpatients before we implemented improvements in the dispensing and pharmaceutical care process. These three processes were as follows: applying Lean Methodology, creating a focus group with patients, and conducting satisfaction surveys.

A multidisciplinary team was set up to analyse the dispensing and pharmaceutical care processes using Lean Methodology. The team comprised two technicians and two pharmacists from outpatient area, a resident pharmacist (FIR), the nursing supervisor of the Pharmacy Service, the pharmacy quality coordinator, a hospital infrastructure representative, and the head of the Pharmacy Service. The area's reference pharmacist completed a 20-hour theoretical-practical training course. During meetings, the team were assisted by an external company and a physician from the hospital with extensive experience in the application of Lean Methodology.

Four sessions (3-4 hours each) were held to identify waste and where improvement interventions could be applied. The following tools were used: (i) value stream mapping, which reveals all the actions that have to take

espera y la satisfacción global, en ambos casos el grado de satisfacción fue superior una vez implantadas las acciones de mejora.

**Conclusiones:** La participación del paciente, a través del grupo focal y encuestas masivas, unido a la participación de los profesionales sanitarios implicados en el proceso, a través de la metodología *Lean*, ha permitido analizar la realidad de nuestro servicio y diseñar las acciones de mejora más adecuadas en función de los recursos disponibles.

place, both necessary and unnecessary, for patients to progress through the system from one stage to another; (ii) the A3 problem solving tool; and (iii) the Spaghetti Plot technique, which identifies unnecessary movements. All of these tools form part of the standard set of tools in Lean Methodology.

The team's results were shared with the rest of the staff in the area in order to obtain their input.

A group of 12 patients were invited to 3-hour group meeting to explore their experience at the Outpatient Pharmacy. These patients represented the main pathologies treated in the Outpatient Pharmacy: HIV patients, cancer patients, and patients undergoing treatment with biologics.

The main topics covered were information, health care and service, waiting times, and the characteristics of the physical space. We conducted a semi-structured interview with open-ended questions. All patients who participated in the focus group were sent a letter afterwards detailing the team's conclusions and the improvement actions to be enacted.

The results from the focus group interviews were used to create a questionnaire that was sent to all the other patients attended in the Outpatient Area. The aim was to measure patient satisfaction and obtain suggestions to improve both pharmaceutical care and logistics. One year later, we sent out the same questionnaire to measure the impact of the implemented improvement actions on patient satisfaction. The questionnaires were sent to patients who had collected medication during the current year and had given prior consent for information to be sent to them by e-mail.

Patient opinion was assessed using a Likert-type scale with 6 closed response items (0 = strongly disagree and 5 = strongly agree). Patients were asked to rate the following aspects: location/ease of access to the Pharmacy Service, convenience of opening hours, waiting times, waiting room conditions, respect for privacy, and care and service provided. Patients were also asked to rate consultations with pharmacists regarding accessibility, politeness, the usefulness of the information given, and whether they considered that they had been given all the information they needed about their treatment.

The questionnaires also included an item on overall satisfaction and an open question inviting patients to make suggestions or comments on the service provided. The questionnaires were managed using the Lime Survey application.

### Quality indicator

Waiting time was defined as the main quality indicator. The initial results showed that 30% of patients waited for more than 30 minutes to be seen. The waiting room only had 10 seats and was overcrowded (> 10 patients) for more than 70% of the time. The team's improvement targets were to have less than 5% of patients waiting for over 30 minutes and to have all patients able to sit in suitable conditions while waiting.

Waiting times were measured using the Qmatic queue manager (pre-intervention period) and the Plexus appointment manager (post-intervention period). The data was collected automatically by measuring the time difference between patients collecting a ticket and being called for consultation.

### Study period

The definition, measurement, and analysis phases were conducted in the second half of 2018. The improvement actions were implemented progressively throughout the second half of 2019 and the first half of 2020. The waiting-time indicator was measured on a monthly basis from the start of the project. Patient satisfaction was measured through satisfaction questionnaires sent via email in December 2019 (before the main improvements) and in December 2020.

## Statistical analysis

All statistical analyses were conducted using SPSS 20.0 (Chicago, USA). The questionnaire items were assessed on an ordinal numerical scale and considered as quantitative variables. Their distribution and dispersion measures (mean and standard deviation) were calculated. Homogeneity tests were used to assess differences using a *P* value of < .05 as a cutoff for statistical significance.

## Results

Six patients attended the focus group meeting out of the 12 patients who were originally invited (50%). The 3 women and 3 men were aged between 35 and 57 years. Three of them were receiving antiretroviral therapy and the other 3 were receiving cancer therapy.

The participants gave positive assessments of the information they received about treatment, both in person and by telephone. However, it was noted that not all the patients received adequate written information on logistic and organisational aspects and this led to interruptions. All the participants strongly appreciated the quality of service.

The main issues reported by the focus group were waiting times and the physical space itself. The group thought that the following issues should be prioritised: avoiding the transport of goods through routes shared with patients, dealing with the backlog of patients in the middle of the day, and improving conditions in the waiting room.

More than 30 improvement actions were identified by the multidisciplinary team and patient focus group. Of these 30, 9 improvement actions were prioritised, which were mainly related to structural and circuit changes. Table 1 shows the topics covered by the focus group, the main comments from patients, and the main improvement actions that were proposed by the work group based on Lean Methodology.

These actions were implemented progressively. In some cases, this process took more than one year because it required the collaboration of external services such as those related to Infrastructures and Information Systems.

Waiting times were significantly improved by these actions. The percentage of patients waiting for more than 30 minutes fell from 30% before improvements to 4.5% after improvements. Figure 1 shows the evolution of pre- and post-implantation waiting times.

All patients can now sit while waiting and can do so in better conditions. This target was achieved by enlarging the waiting area and improving the air-conditioning system.

Table 2 summarises the results of the questionnaires on patient satisfaction sent out in 2019 and 2020.

Significant differences were found in waiting times and overall satisfaction between the two periods. In both cases the satisfaction scores were higher in the second survey.

Figure 2 shows the suggestions provided by the patients in the satisfaction questionnaires. Both surveys showed that the most frequent comment was to thank the staff for their kindness and professionalism, followed by requests for better conditions in the waiting room. After the improvement actions were implemented, the most significant change was fewer complaints about long waiting times.

## Discussion

The implementation of improvement actions should involve all health care staff who form part of the dispensing and pharmaceutical care process and should be based on an understanding of the patients' experiences of the Outpatient Area.


We used several Lean Methodology tools to analyse the processes in depth and to identify and implement the most appropriate improvement actions in our Outpatient Area, while ensuring all staff were involved.

Lean Methodology has been used to improve different areas of hospital pharmacy<sup>5-13</sup>, but very few studies have addressed the dispensing process and outpatient pharmaceutical care.

The two approaches (focus group and satisfaction questionnaires) allowed us to obtain a great deal of information on the patients' opinions and to identify the weak points of the service from patients' perspective.

The results from the focus group and the satisfaction questionnaires were similar: the highest-rated aspects were the care and service provided, whe-

**Figure 1.** Evolution of the waiting time indicator (percentage of patients waiting for more than 30 minutes to be seen).



reas the worst-rated aspects were the state of the waiting room, waiting times, location, and privacy.


These results are very similar to those of surveys conducted in other hospitals<sup>14-17</sup>. However, it should be noted that most of these studies used a 5-point Likert scale (1 to 5) whereas we used a 6-point Likert scale (0 to 5). This means that there was no neutral response and patients had to choose one way or the other.

The implementation of the improvement actions improved the patients' assessment of waiting times and therefore overall satisfaction. However, the first survey showed that overall satisfaction was already acceptable. This is likely due to our patients' positive assessment of the quality of the pharmaceutical care received, because this factor has the strongest correlation with patient satisfaction<sup>18</sup>.

The results of the focus group and surveys showed that satisfaction with service was very high, but that there were aspects that did not meet the patients' expectations. Hospital management needs to be aware of the perspectives of patients receiving health care and to be involved in any improvements needed. Their approval is required for improving the area's facilities, obtain better IT resources, and extend opening hours and staffing levels.

The worst-rated aspects reported by other hospitals are similar to ours, such as waiting room conditions and waiting times<sup>15-17,19,21</sup>. Many hospitals have experienced growth in the number of patients, but this has

**Figure 2.** Comments made by the patients surveyed (expressed as a percentage of the total number of comments).



**Table 1.** Topics explored, main comments, and actions implemented in the outpatient area

Topic explored	Main comments	Actions implemented
<b>Information on medication</b>	<p>"I was given a lot of information"</p> <p>"It was explained to me very well"</p> <p>"The issue of incompatibilities is very much emphasised"</p>	
<b>Information on logistic and organisational aspects</b>	<p>"Not all patients are given enough information on these aspects"</p> <p>"When people don't have enough information they have to ask directly at the dispensing counters and this leads to interruptions"</p> <p>"When interruptions happen, it feels like they aren't there for you and there can be mistakes"</p>	<p>Signs were placed on the route from the hospital entrance to the Outpatient Area and a brightly coloured "X" was put on the door to help patients find it</p> <p>Written information on location and general operations was provided at medical consultation rooms and displayed on the hospital's website</p> <p>The ticket dispenser was moved outside the care area to improve privacy and avoid interrupting patients who are being attended</p>
<b>Phone support</b>	<p>"They respond appropriately when you leave messages about issues related to medication"</p> <p>"I feel very supported"</p>	
<b>Service provided</b>	<p>"All the staff have superb manners"</p> <p>"The staff are lovely and very professional, but the location and space are not up to standard"</p>	
<b>Waiting times</b>	<p>"The fact is that most people come in the morning and so the peak hours have to be managed differently"</p> <p>"Consider installing dispensing points closer to the attending medical services, although this may increase the cost"</p> <p>"Home delivery of medication is a logistic problem that large companies have solved"</p>	<p>An infographic was installed in the waiting room to encourage patients to come at off-peak times if possible</p> <p>An alternative dispensing process was implemented in day hospitals and dialysis hospitals outside the outpatient care processes to avoid interruptions during patient care and to optimise the operation of the automated medication dispensing machine. The timetable of 2 technicians was changed to 08:00-09:00 to prepare a 24-hour supply of medication</p> <p>Appointments were managed by means of a queue manager that uses a smart algorithm to classify walk-in patients according to their pharmaceutical care needs</p> <p>The telepharmacy service was strengthened</p>
<b>Opening hours</b>	<p>"Afternoon opening hours should be extended"</p> <p>"It is difficult to find suitable timetables for everyone"</p> <p>"It would be good to be able to make an appointment via an app, so you can come and pick up your medication after a visit without waiting"</p>	<p>New afternoon opening hours were established to reduce crowds during peak times (10:00-14:00), provide service to day hospitals/outpatient consultation rooms that are open in the afternoons, and to cater to patients who can only come in the afternoon</p>
<b>Conditions in the waiting room</b>	<p>"The transport of materials through the waiting room was inappropriate and dangerous"</p> <p>"The waiting room is small and uncomfortable. It's too hot or cold depending on the season and there aren't enough seats"</p>	<p>The waiting room was enlarged and air conditioning improved. We also improved the circuit signs, care stations, and space for patients with reduced mobility</p>
<b>Privacy</b>	<p>"Privacy could be improved but it is not one of the main problems"</p>	

not been matched by equivalent growth in outpatient areas. Resources should be adapted not only to dispensing but also to providing pharmaceutical care according to the CMO (capacity-motivation-opportunity) model<sup>22-24</sup>.

One of the limitations of this study is that the satisfaction questionnaire used was not validated because we had to adapt the questionnaire to our needs. The EVASAF<sup>25</sup> scale is a validated questionnaire, but it only assesses pharmaceutical care received. In our case, we had to assess logistic aspects because the focus group had identified them as weak points in our service.

We were unable to implement some of the improvements requested by patients, such as moving the Pharmacy Service closer to the outpatient rooms or addressing the awkward location of the current waiting room. The size of the hospital makes it difficult to change the location of the speciality

area. However, the suggestions of the patients who contributed to this study will be of great help in improving these aspects in redesigning the Pharmacy Service.

In any case, Outpatient Areas have changing needs and therefore continuous assessment is needed to identify any new opportunities for improvement that may arise over time.

We analysed the situation of our Outpatient Area and designed the most appropriate improvement actions according to the resources available. This initiative was achieved through patient participation (via focus group and mass surveys), the participation of health care staff, and the application of Lean Methodology.

This process has also helped with the internal organisation of the area and its future size in order to achieve maximum satisfaction among patients and the health care staff involved in the area.

**Table 2.** Results of the satisfaction surveys and patients' scores

	2019	2020	
Surveys sent (n)	4,749	5,048	
Surveys returned (n)	1,723	1,564	
Surveys with comments (acknowledgements, complaints, suggestions) (n)	661	579	
Men, (%)	63%	62%	
Age > 65 years, (%)	12.5%	12.3%	
Factors assessed	MEAN ± SD*	MEAN ± SD*	
Location/Ease of access	3.6 ± 1.3	3.6 ± 1.9	p > 0.05
Opening times	4.1 ± 1.1	4.2 ± 1.2	p > 0.05
Waiting times	3.0 ± 1.5	3.3 ± 1.9	p < 0.05
Condition of the waiting room	2.6 ± 2.3	2.6 ± 2.4	p > 0.05
Privacy	3.9 ± 1.9	3.9 ± 2.1	p > 0.05
Care and service provided	4.7 ± 0.6	4.8 ± 0.3	p > 0.05
Access to the pharmacist	4.5 ± 0.8	4.6 ± 0.6	p > 0.05
Politeness (Pharmacist)	4.8 ± 0.6	4.8 ± 0.3	p > 0.05
Usefulness of information given	4.7 ± 0.7	4.7 ± 0.4	p > 0.05
Completeness of information given	4.6 ± 0.8	4.6 ± 0.5	p > 0.05
Global satisfaction	4.1 ± 0.9	4.3 ± 0.7	p < 0.05

SD: standard deviation.

\*Scale from 0 to 5.

## Funding

No funding.

## Conflict of interest

No conflict of interest.

## Bibliography

- Morillo Verdugo R, Sáez de la Fuente J, Calleja Hernández MA. MAPEX: mirar profundo, mirar lejos. *Farm Hosp.* 2015;39(4):189-91. DOI: 10.7399/fh.2015.39.4.9407
- Womack JP, Jones DT. *Lean Thinking. Cómo utilizar el pensamiento LEAN para eliminar los despilfarros y crear valor en la empresa.* Barcelona: Gestión 2000; 2012.
- Hernández JC, Vizán A. *Lean manufacturing. Concepto, técnicas e implantación.* Madrid: Escuela de Organización Industrial; 2015.
- Rotter T, Plishka C, Lawal A, Harrison L, Sari N, Goodridge D, et al. What Is Lean Management in Health Care? Development of an Operational Definition for a Cochrane Systematic Review. *Eval Health Prof.* 2019;42(3):366-90. DOI: 10.1177/0163278718756992
- Hintzen BL, Knoer SJ, Van Dyke CJ, Milavitz BS. Effect of lean process improvement techniques on a university hospital inpatient pharmacy. *Am J Health Syst Pharm.* 2009;66(22):2042-7. DOI: 10.2146/ajhp080540
- Green CF, Crawford V, Bresnen G, Rowe PH. A waste walk through clinical pharmacy: how do the 'seven wastes' of Lean techniques apply to the practice of clinical pharmacists. *Int J Pharm Pract.* 2015;23(1):21-6. DOI: 10.1111/ijpp.12106
- John N, Snider H, Edgerton L, Whalin L. Incorporation of Lean methodology into pharmacy residency programs. *Am J Health Syst Pharm.* 2017;74(6):438-44. DOI: 10.2146/ajhp160131
- Steele ML, Talley B, Frith KH. Application of the SEIPS Model to Analyze Medication Safety in a Crisis Residential Center. *Arch Psychiatr Nurs.* 2018;32(1):7-11. DOI: 10.1016/j.apnu.2017.09.005
- Gayoso-Rey M, Martínez-López de Castro N, Paradelo-Carreiro A, Samartín-Ucha M, Rodríguez-Lorenzo D, Piñeiro-Corralles G. Metodología Lean: diseño y evaluación de un modelo estandarizado de almacenaje de medicación. *Farm Hosp.* 2021;45(1):3-9. DOI: 10.7399/fh.11365
- Moro-Agud M, González-Fernández MA, Moreno-Ramos F, Jiménez-Nácher I, de Sebastián-Rueda M, Herrero-Ambrosio A. Aplicación de Lean Six Sigma en la mejora de la calidad del proceso de Atención Farmacéutica a Pacientes Externos. *Rev OFIL.* 2016;26;2:87-93.
- Silgado Bernal MF, Basto Benítez I, Ramírez García G. Uso de la metodología Six Sigma en la preparación de mezclas de nutrición parenteral. *Farm Hosp.* 2014;38(2):105-11. DOI: 10.7399/FH.2014.38.2.1105
- Font Noguera I, Fernández Megía MJ, Ferrer Riquelme AJ, Balasch I, Parisi S, Edo Solsona MD, et al. Mejora del proceso farmacoterapéutico del paciente hospitalizado mediante la metodología Lean Six Sigma. *Rev Calid Asist.* 2013;28(6):370-80. DOI: 10.1016/j.cal.2013.04.003.
- Caro Teller JM, Pablos Bravo S, Serrano Garrote O, Ojeda García C, Carro Ruiz AM, Guede González AM, et al. Implementation of the Lean Six Sigma in the improvement of the medication dispensing circuit. *J Healthc Qual Res.* 2020;35(6):364-71. DOI: 10.1016/j.jhqr.2020.04.005
- Márquez-Peiró JF, Pérez-Peiró C. Evaluación de la satisfacción y de la insatisfacción de pacientes atendidos en la unidad de atención farmacéutica a pacientes externos. *Farm Hosp.* 2008;32(2):71-6. DOI: 10.1016/S1130-6343(08)72817-4
- González Valdivieso J, González Navarro M, Machi Ribes JJ, Sánchez Ulayar A, Ramió Montero E, Fernández Martí D, et al. Estudio multicéntrico de satisfacción de los pacientes en dispensación ambulatoria. *Aten Farm.* 2012;14(3):152-9.

## Contribution to the scientific literature

This study integrates methods that address the needs of patients and health care staff in order to improve the impact of medication dispensing and pharmaceutical care on patient experience and satisfaction.

16. Ventura Cerdá JM, Sanfélix Gimeno G, Monte Boquet E, Fernández Villalba EM, Alós Almiñana M. Satisfacción percibida por pacientes infectados por el VIH con la unidad de atención farmacéutica a pacientes externos (UFPE). *Farm Hosp.* 2005;29(2):134-9. DOI: 10.1016/s1130-6343(05)73649-7
17. Izquierdo-García E, Fernández-Ferreiro Á, Campo-Angora M, Ferrari-Piquero JM, Herreros de Tejada A. Satisfacción percibida por los pacientes y por el personal auxiliar de farmacia del área de atención a pacientes externos como método de mejora de la calidad. *Rev Calid Asist.* 2011;26(3):161-7. DOI: 10.1016/j.cali.2010.12.002
18. Martínez-López-de-Castro N, Álvarez-Payero M, Martín-Vila A, Samartín-Ucha M, Iglesias-Neiro P, Gayoso-Rey M, et al. Factors associated with patient satisfaction in an outpatient hospital pharmacy. *Eur J Hosp Pharm.* 2018;25(4):183-8. DOI: 10.1136/ejpharm-2016-001192
19. Sánchez Gundín J, Martí Gil C, Recuero Galve I, Mejía Recuero M, Gómez Santillana M, Barreda Hernández D. Satisfacción percibida del Servicio de Farmacia: medición, análisis y mejora. *Rev OFIL.* 2015;25:137-44.
20. Santiago Pérez A, Peña Pedrosa JA, Alguacil Pau AI, Pérez Morales A, Molina Muñoz P, Benítez Giménez MT. Mejora de la dispensación a pacientes externos de un servicio de farmacia hospitalaria. *J Healthc Qual Res.* 2018;33(1):23-32. DOI: 10.1016/j.cali.2017.12.002
21. Montero A, Feal B, Calvin M, Margusino L, Hurtado JL, Vázquez I, et al. Calidad percibida por los pacientes externos en la consulta de atención farmacéutica del servicio de farmacia. *Farm Hosp.* 2006;30(2):105-11. DOI: 10.1016/s1130-6343(06)73955-1
22. Morillo Vergudo R, Calleja Hernández MA. Sociedad Española de Farmacia Hospitalaria. El modelo CMO en consultas externas de Farmacia Hospitalaria. Badalona: Euromedice Vivactis; 2016.
23. Morillo-Verdugo R, Calleja-Hernández MA, Robustillo Cortés MA. A new pharmaceutical care concept: more capable, motivated and timely. *Hosp Pharm.* 2019;54(6):348-50. DOI: 10.1177/0018578719867657
24. Margusino-Framiñán L, Cid-Silva P, Martínez-Roca C, García-Queiruga M, Fernández-Gabriel E, Mateos-Salvador M, et al. Implementation of Specialized Pharmaceutical Care Hospital Outpatient Clinics in a Hospital Pharmacy Department. *Farm Hosp.* 2017;41(6):660-6. DOI: 10.7399/fh.10771
25. Monje-Agudo P, Borrego-Izquierdo Y, Robustillo-Cortés MA, Jiménez-Galán R, Almeida-González CV, Morillo-Verdugo RA. Diseño y validación de una encuesta de satisfacción con la atención farmacéutica recibida en las consultas de farmacia hospitalaria. *Farm Hosp.* 2015;39:152-6. DOI: 10.7399/fh.2015.39.3.8366