JORNADA POST EAHP

FARMACIA BASADA EN LA EVIDENCIA

Dra. Marta Sáenz de Tejada
Dra. Noemí Martínez López de Castro

ORGANIZA

PATROCINA

THE PHARMACIST'S ROLE IN THE DRUGS AND THERAPEUTICS COMMITTEE

Sobre la financiación de medicamentos Dinamarca vs España

- La “Danish Medicines Agency” decide que medicamentos se financian.
- Compra de medicamentos:
<http://www.amgros.dk/en>
- La Agencia Española decide que medicamentos se financian (Real Decreto-ley 16/2012, de 20 de abril).
- Compra de medicamentos....

Sobre la organización de las CFT

Dinamarca vs España

Sobre la implementación del formulario Dinamarca

1. Intervención:
  1. Información escrita
  2. Comunicación
2. Obligatoriedad
3. Incentivos económicos

El farmacéutico hospitalario en las CFT REGIONALES o NACIONALES

□ **EVALUACIÓN DE MEDICAMENTOS:**
Medicamentos de reciente comercialización.

□ **ANÁLISIS FARMACOECONÓMICO:**

Coste/ efectividad; impacto presupuestario; nuevas formas de financiación.

□ **RESULTADOS EN PACIENTES:**

Diseñar y promover el uso de indicadores: tecnología.

El farmacéutico hospitalario en las CFT LOCALES

- ❑ **EVALUACIÓN DE MEDICAMENTOS:**
  - Guías y protocolos
  - Evaluación de biosimilares
  - Coordinación de grupos de expertos
  - Evaluación de tratamiento en “uso individualizado”
- ❑ **ANÁLISIS FARMACOECONÓMICO:** impacto/ seguimiento presupuestario.
- ❑ **RESULTADOS EN PACIENTES:** seguimiento del uso de indicadores: tecnología.

FORMACIÓN del farmacéutico hospitalario

EVALUACIÓN

**CONOCIMIENTO:
biosimilares,
biotecnológicos, ...**

FARMACOECONOMÍA

APTITUDES del farmacéutico hospitalario

COMUNICAR Y EDUCAR

CRÍTICOS

TRABAJO EN EQUIPO

Bridging the efficacy-effectiveness gap

Reading recommendation

OPINION

Bridging the efficacy–effectiveness gap: a regulator’s perspective on addressing variability of drug response

Hans-Georg Eichler, Eric Abadie, Alasdair Breckenridge, Bruno Flamion, Lars L. Gustafsson, Hubert Leufkens, Malcolm Rowland, Christian K. Schneider and Brigitte Bloechl-Daum

Nat Rev Drug Discov. 2011 Jul 1;10(7):495-506

Validez interna de los resultados de los ensayos clínicos

- ✓ Secuencia de aleatorización
- ✓ Ocultación de la asignación
- ✓ Cegamiento: participantes, investigadores, evaluadores, ...
- ✓ Manejo de resultados incompletos
- ✓ Notificación selectiva de resultados
- ✓ Otros sesgos

APLICABILIDAD de los resultados de los ensayos clínicos

eunetha
EUROPEAN NETWORK FOR HEALTH TECHNOLOGY ASSESSMENT

GENESIS

Grupo de trabajo
• Presentación
• Principios Básicos
• Objetivos Generales
• Objetivos Metodológicos

Grupo de Evaluación de Novedades, Estandarización e Investigación en Selección de Medicamentos
GRUPO DE TRABAJO
SOCIEDAD ESPAÑOLA DE FARMACIA HOSPITALARIA

5.2.b.2 Tabla 3 CUESTIONARIO SOBRE LA APLICABILIDAD DE UN ENSAYO CLÍNICO		
	SI /NO	JUSTIFICAR
¿Considera adecuado el comparador? ¿Es el tratamiento control adecuado en nuestro medio?		Comparador, pauta, dosis, ¿es el tiempo de tratamiento el adecuado?
¿Son importantes clínicamente los resultados?		¿Se podría considerar la diferencia obtenida como mejora clínica relevante?
¿Considera adecuada la variable de medida utilizada?		¿Es la variable evaluada un resultado medido habitualmente en la clínica?
¿Considera adecuados los criterios de inclusión y/o exclusión de los pacientes?		¿Nuestros pacientes son como los de la población estudiada?
¿Cree que los resultados pueden ser aplicados directamente a la práctica clínica?		¿La práctica asistencial ensayada es factible?
Otros sesgos o limitaciones encontradas en el estudio		Comentarios

Información extraída de la página web de GENESIS disponible en: <http://gruposedetrabajo.sefh.es/genesis/> [Acceso: 16 de junio de 2018].

MEDICAMENTO	INDICACIÓN	AÑO	VALIDEZ INTERNA	VALIDEZ EXTERNA
ABIRATERONA	C. PRÓSTATA sin QT previa	2014	Bajo riesgo de sesgo	- No comparador adecuado (placebo) - Diferencias de tiempo en el inicio del tratamiento.
ALECTINIB	CPNM avanzado tras crizotinib	2017	Alto riesgo de sesgo	- Beneficio clínico pero con consideraciones.
APREMILAST	Artritis psoriásica	2016	Bajo riesgo de sesgo	- No suficiente tiempo de evaluación - Comparador no real - Se excluyeron pacientes con fallo a 3 ó mas FAMEs
BEDAQUILINA	Tuberculosis pulmonar multirresistente	2014	Alto riesgo de sesgo	- Pacientes: práctica habitual - Se excluyeron pacientes con VIH, niños, > 65 años, ... - Pacientes ingresados 8 semanas...adherencia

Información extraída de los informes GENESIS disponibles en:

http://gruposdetrabajo.sefh.es/genesis/index.php?option=com_content&view=article&id=16&Itemid=19. [Acceso: 16 de junio de 2018]

EuroScan

International Network

Portada

Conócenos

Producción

Trabajo en red

Actividades

Qué hacemos

BeNeLuxA collaboration

Ludwig Boltzmann Institut
Health Technology Assessment

Sobre el beneficio clínico de los tratamientos...

The screenshot shows a web browser window with the URL www.esmo.org/Policy/Magnitude-of-Clinical-Benefit-Scale. The browser's address bar and tabs are visible at the top. The page header features the ESMO logo with the tagline "GOOD SCIENCE BETTER MEDICINE BEST PRACTICE" and a welcome message: "Welcome to the EUROPEAN SOCIETY FOR MEDICAL ONCOLOGY the leading European professional organisation for medical oncology". A search bar and a "Sign in" link are also present.

The main navigation menu includes: About Us, Membership, Guidelines, Conferences, Career Development, Research, Patients, Policy, and OncologyPRO. The current page is under the "Policy" section.

The breadcrumb trail reads: ESMO / POLICY / Magnitude of Clinical Benefit Scale. A left sidebar menu lists: Recognition and Status of Medical Oncology, Political Initiatives, Position Statements & Recommendations, and » Magnitude of Clinical Benefit Scale (which is highlighted).

The main content area is titled "ESMO-Magnitude of Clinical Benefit Scale" and features a large green banner with the ESMO logo and the text: "ESMO MAGNITUDE OF CLINICAL BENEFIT SCALE". Below the banner, it states: "PROMOTING CLEAR AND UNBIASED COMMUNICATION ABOUT THE BENEFIT OF CANCER TREATMENTS". Social media icons for Facebook, Twitter, Email, Google+, LinkedIn, and YouTube are visible in the top right corner of the content area.

Sobre el beneficio clínico de los tratamientos...

ESMO Magnitude of Clinical Benefit Scale v1.1

Form 1: For therapies that are not likely to be curative with gross survival of 10%

Name of study			
Study drug		Indication	
First author		Year	Setting
Name of institution			

If randomised with the control treatment (1:1) months (24 months)

Grade 1	Must not be observed
HR < 0.75 (95% CI) Gain > 6 months Increase of 3 year survival above 0.15%	
Grade 2	
HR < 0.75 (95% CI) Gain > 6 months	
Grade 3	
HR < 0.75 (95% CI) Gain > 6 months	
HR < 0.75 (95% CI) Gain > 6 months	
Grade 4	
HR < 0.75 (95% CI) Gain > 6 months	

Maximum magnitude of clinical benefit grade (highest grade scored)

4	3	2	1

Quality of Life assessment / grade 3-4 toxicities assessment*

Does secondary endpoint quality of life show improvement	
Are there statistically significantly less grade 3-4 toxicities impacting on daily well-being [†]	

*This does not include alopecia, myelosuppression, but rather chronic nausea, diarrhoea, fatigue, etc.

Adjustments

1. Upgrade 1 level if improved quality of life and/or less grade 3-4 toxicities impacting daily well-being are shown
2. If there is a long term plateau in the survival curve, and OS advantage continues to be observed at 7 years, also score according to form 1 (treatments with curative potential) and present both scores i.e. 4/4

Final adjusted magnitude of clinical benefit grade

5	4	3	2	1

Sobre el beneficio clínico de los tratamientos...

ESMO-MCBS

- ❖ Only applicable for solid tumours
- ❖ Costs are not taken into account, because of the high variability of prices across European countries
- ❖ New form for single arm studies in the ESMO-MCBS version 1.1
- ❖ One published real-life experience at the Medical University of Vienna

American Society of Clinical Oncology
(ASCO) Value Framework

- ❖ Comparative trials
- ❖ Evaluation of treatments for solid tumours as well as for blood tissue cancer
- ❖ Two forms → advanced & adjuvant setting
- ❖ Intended use → clinical setting (not for policy discussions)
  - ❖ Planned to be used as a software for clinicians
  - ❖ Weighting of categories shall be dependent on the individual patient

Sobre el beneficio clínico de los tratamientos...

1. Beneficio clínico: supervivencia global, supervivencia libre de progresión, ratio de respuesta y toxicidad.
2. “Factores de bonificación”: paliativo, tiempo libre de tratamiento, calidad de vida...
3. Costes

MÁXIMO: 130 puntos

THE EFFECTIVE PHARMACIST THE TEAM MEMBER-IG3

Parisa Mirbod

EAHP Congress 2018

C

omunicación
ompatibilidad
ompetencia

THE EFFECTIVE PHARMACIST THE TEAM MEMBER-IG3

Parisa Mirbod
EAHP Congress 2018

Birmingham Children's Hospital (BCH) **RPS**
Pharmacy Foundation Programme

WORK PORTFOLIO

NAME	A. Chirath
MONTH	August
DEPARTMENT / SERVICE	Emergency & Trauma
YEAR	2018

The Individualised Work

PROPORTION OF WORK	WORK	APPROPRIATE	WORK	APPROPRIATE	WORK	APPROPRIATE
20 %	- General Pharmacy Services - On-Call - Extended hours	- Clinical Pharmacy - Pharmacy - Medicines Information	- Head Based Clinical Pharmacy - Multi-disciplinary team meetings	- Pre-registered year - Respiratory	- Clinical Pharmacy - Team working - Mentoring - Continuing Education	
70%	Work based services		- Communication Skills - Team Work - Education & Training - Gathering Information - Knowledge	- Education of Meds - Education of Meds		
10%	Education & Research	- Protocol development - Evaluation of papers - Medical Information - Audit - Projects	- Research and Evaluation - Identifies gaps in evidence base - Can interpret research protocols - Actively participates in research	- Understand Audit - Author Posters - Participates in continuing education		

A fact-based view on Global Health & Infectious Diseases

Helena Nordenstedt
Public Educator
Gapminder Foundation

GAPMINDER

TOOLS DOLLAR STREET VIDEOS DOWNLOADS TEACH IGNORANCE DATA

WHY WE WROTE FACTFULNESS

Millennium Development Goals (MDGs) 1990-2015

A fact-based view on global health and infectious diseases

Sustainable Development Goals (SDGs) 2015-2030

A fact-based view on global health and infectious diseases

Non-communicable deaths and GNI per capita

Country	GNI per capita (USD)	Total NCD deaths	Young NCD deaths
Uganda	670	27%	27%
Thailand	5780	71%	16%
USA	55,230	88%	14%
Sweden	61,570	90%	10%

Extreme

Poverty

< \$ 1.90 / day